



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED SEPTEMBER 2, 1911.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.														
Baltimore, Md.	558,485	177	14				5				19	20	68	12
Boston, Mass.	670,585	204	16		19		11				65	14	16	3
Chicago, Ill.	2,185,283		92	17	14	4	61	4			149	59	26	6
Cleveland, Ohio.	560,663	132	23	1	3		37	1			26	14	31	3
New York, N. Y.	4,766,883	1,228	123	15	94	6	49	2			401	148	123	20
Philadelphia, Pa.	1,549,008	378	59	4	6	2	37	2			86	43	56	5
St. Louis, Mo.	687,029	180	10	2	1		8	1	1		20	16	31	3
Cities having from 300,000 to 500,000 inhabitants.														
Buffalo, N. Y.	423,715	102	17	1	1		6				26	10	16	1
Cincinnati, Ohio.	364,463	111	7	2		1	27	1	1		21	17	11	2
Detroit, Mich.	465,766	135	15	4			6	2						
Los Angeles, Cal.	319,198	90	1	1			4				19	17	5	1
Milwaukee, Wis.	373,857	96	10	1			14				13	9	11	2
Newark, N. J.	347,469	87	22				3				21	7	3	
New Orleans, La.	339,075	115	5		8		5				19	12	11	1
San Francisco, Cal.	416,912	86			16	1	2				9	7	4	
Washington, D. C.	331,069	97	4		4		3				15	11	17	2
Cities having from 200,000 to 300,000 inhabitants.														
Denver, Colo.	213,381	42	22				4		1			6	21	
Jersey City, N. J.	267,779	70						1				7		1
Kansas City, Mo.	248,381	65	3		1		4		1			9		2
Providence, R. I.	224,326	55	6	1			2				1	6	9	
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn.	102,054	15	1				1				1		3	
Cambridge, Mass.	104,839	25	13	1	3		1				5	4		
Columbus, Ohio.	181,548	41	4		1		3				4	4	7	
Dayton, Ohio.	116,577	27					1					1	1	1
Fall River, Mass.	119,295		1	1			1					2	2	2
Grand Rapids, Mich.	112,571	27	1		1							1	2	
Lowell, Mass.	106,294	33	2									2	3	
Memphis, Tenn.	131,105	43	1	2			2				2	6	69	8
Nashville, Tenn.	110,364	34	3				1				4	7	6	1
Omaha, Nebr.	124,096	5	1		1		1						5	
Spokane, Wash.	104,402	21			1		2					2	11	
Toledo, Ohio.	168,497	35	8	1			5					6	7	1
Worcester, Mass.	145,986	40	7	2							10	1	5	
Cities having from 50,000 to 100,000 inhabitants.														
Altoona, Pa.	52,127	9											2	
Bayonne, N. J.	55,545	9	2		2						1			
Brockton, Mass.	56,878	11			1							2		
Camden, N. J.	94,538		4	2							1			
Covington, Ky.	53,270	11										2	5	1
Duluth, Minn.	78,466	20	2				1		1		6	3	3	
Elizabeth, N. J.	73,409	24	1				1					3		
Erie, Pa.	66,525	20							2				2	1
Evansville, Ind.	69,647	11	1								1	2	3	2
Harrisburg, Pa.	64,186	12	1		2						1	2	1	
Hartford, Conn.	98,915	20	6	1							4	3	4	2
Hoboken, N. J.	70,324	3	2				1							
Houston, Tex.	78,800	15	3						1					
Johnstown, Pa.	55,482	19					2	1					1	1

Morbidity and mortality table, cities of the United States, for week ended September 2—
Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 in- habitants—Continued.														
Lawrence, Mass.	85,892	29	2				1				4	3	1	
Lynn, Mass.	89,336	22	1				3				3	3	3	
Manchester, N. H.	70,063	18	1		2						1	1		
New Bedford, Mass.	96,652	43	1		1		1				7	2	3	1
Passaic, N. J.	54,773	11	2									2		
Peoria, Ill.	66,950	15	2											
Reading, Pa.	96,071	23	7				5				1	6	8	
San Antonio, Tex.	96,614	27					1		2			8	8	3
Schenectady, N. Y.	72,826	12									5	1	4	
Springfield, Ill.	51,678	15	2	1			1					2		
Springfield, Mass.	88,926	21	2		1		1				6	3	5	
Trenton, N. J.	96,815	34	4				1		3	1			3	
Wilkes-Barre, Pa.	67,105	20	1		1						1	1	1	
Wilmington, Del.	87,411	19												
Yonkers, N. Y.	79,803	17	5		1		8				3	1	1	
Cities having from 25,000 to 50,000 inhabitants.														
Atlantic City, N. J.	46,150	12			1						2		3	
Aurora, Ill.	29,807	16	3	1			1					2		
Binghamton, N. Y.	48,443	18									1		1	
Brookline, Mass.	27,792	7			1						1			
Butte, Mont.	39,165	18	1				1					1	1	
Chattanooga, Tenn.	44,604						5						3	
Chelsea, Mass.	32,452	4	3		6		1				3			
Chicopee, Mass.	25,401	6					2	1					1	
Danville, Ill.	27,871	8												1
East Orange, N. J.	34,371	4	2											
Elmira, N. Y.	37,176	10	8										1	
El Paso, Tex.	39,279	21							2	1	2	4	6	
Everett, Mass.	33,484	4	1									1	1	
Haverhill, Mass.	44,115	6									1		1	
Kalamazoo, Mich.	39,437	20					1				2	1	1	
Knoxville, Tenn.	36,346	14	1										3	
La Crosse, Wis.	33,417	4					1					1		
Lancaster, Pa.	47,227	9	3								2	3	3	
Lima, Ohio	30,508	5	1				3							1
Lynchburg, Va.	29,494	18	5				1		1		1		2	
Malden, Mass.	44,404		4		1		1				2		2	
Montgomery, Ala.	38,136	27	2		1		6					3	1	
Mount Vernon, N. Y.					3						1			
Newcastle, Pa.	36,280		7				2				6		2	
Newport, Ky.	30,309	12					3				1	1	1	
Newton, Mass.	39,806	4												
Niagara Falls, N. Y.	30,445	10			2								7	1
Norristown, Pa.	27,875	9	1				1				2		3	
Orange, N. J.	29,630	8	3									1		
Pasadena, Cal.	30,291	9										3	1	
Pittsfield, Mass.	32,121	13	1				1				1	3		
Portsmouth, Va.	33,190	12					2						2	
Racine, Wis.	38,002	7										1		
Roanoke, Va.	34,874	11	3				1						9	
Rockford, Ill.	45,401	15	1								2	1	2	
Salem, Mass.	43,697	10	1								1		2	
San Diego, Cal.	39,578	18									6	6		
Superior, Wis.	40,384	6	1				1							
Taunton, Mass.	34,259	13									1		1	
Waltham, Mass.	27,834	10									1	3		
West Hoboken, N. J.	35,403	6					1						1	
Williamsport, Pa.	31,860	8			1								2	
Wilmington, N. C.	25,748	11											1	
York, Pa.	44,750										1	1	3	
Zanesville, Ohio.	28,026	4												

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended September 2—Continued.

Cities.	Popu- lation, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants.</i>														
Ann Arbor, Mich.		6										1		
Beaver Falls, Pa.			1								1			
Bennington, Vt.		3	1											
Braddock, Pa.	19,957	7	2								1		1	
Butler, Pa.	20,728	5	2				2				1	1		
Cambridge, Ohio.	11,327	0									1		1	
Camden, S. C.		3												
Carbondale, Pa.	17,040	7					1							
Clinton, Mass.	13,075	4										1	1	
Columbus, Ga.		7		1										
Columbus, Ind.		5											1	
Concord, N. H.	21,497	16										2		
Cumberland, Md.	21,839	6	2										12	1
Dunkirk, N. Y.		8										1	1	1
Galesburg, Ill.	20,089	13												
Gloucester, Mass.	24,398	8												
Harrison, N. J.	14,498	4	1											
Homestead, Pa.	18,713	7	14				1					2		
Hyde Park, Mass.	15,507	5									2	1	1	
Kearny, N. J.	18,659	4									1			
La Fayette, Ind.	12,081	5										1		
Lebanon, Pa.	19,240	4	4								2			
Manistee, Mich.							2							
Marinette, Wis.	14,610	5									1	1	2	
Marlboro, Mass.	14,579	8	1				1				1	2		
Massillon, Ohio.	13,879	3					1							
Medford, Mass.	23,150	3												
Melrose, Mass.	15,715	5												
Moline, Ill.	24,199	0	2								2		7	
Montclair, N. J.	21,150	5												
Morristown, N. J.		2					1							
Nanticoke, Pa.	18,877	1	2										2	
Newburyport, Mass.	19,949	8									1	1		
North Adams, Mass.	22,019	3					1						1	
Northampton, Mass.	19,431	4									2		1	
Palmer, Mass.		2												
Pekskill, N. Y.		5										1		
Pottstown, Pa.		5												
Rutland, Vt.		4												
Saratoga Springs, N. Y.		2	1								1			
Steelton, Pa.	14,246	10	8	2	1						1	1	1	
South Bethlehem, Pa.	19,973	6					2					1	1	
Wilkinsburg, Pa.	11,080	9									4		1	
Woburn, Mass.	15,308	1												

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (UNTABULATED).

CONNECTICUT—*Stamford*.—Month of August, 1911. Population, 25,138. Total number of deaths from all causes not reported. No deaths from contagious diseases. Cases reported: Diphtheria 1, tuberculosis 1, typhoid fever 3.

FLORIDA.—Week ended September 2, 1911. Reports from the State board of health show diphtheria present at 4 localities with 9 cases, malaria at 3 localities with 12 cases, tuberculosis at 5 localities with 8 cases, typhoid fever at 7 localities with 12 cases.

Week ended September 9, 1911. Reports from the State board of health show diphtheria present in 3 localities with 4 cases,